

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.1 Product Identifiers

Product Name: NANOMYTE® SR-100 (Part A)
CAS Number: A CAS number has not been assigned to this product.

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: Abrasion resistant coating for plastics, metals, and other surfaces

1.3 Details of the Supplier of the Safety Data Sheet

Company: NEI Corporation
Address: 400 Apgar Drive, Unit E | Somerset, NJ 08873 – USA
Phone: +1 (732) 868-3141 Fax: +1 (732) 868-3143
Email: productinfo@neicorporation.com

1.4 Emergency Telephone Numbers

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)
U.S. Poison Control Center: +1 (800) 222-1222
ChemTel (North America): +1 (800) 255-3924 (during transportation only)
ChemTel (International): +1 (813) 248-0585 (during transportation only – collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids (Category 2), H225 – Methanol, Ethanol
Flammable Liquids (Category 3), H226 – 2-Butanol
Acute toxicity, Oral (Category 3), H301 – Methanol
Acute toxicity, Dermal (Category 3), H311 – Methanol
Eye irritation (Category 2A), H319 – 2-Butanol, Ethanol
Acute toxicity, Inhalation (Category 3), H331 – Methanol
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 – 2-Butanol
Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 – 2-Butanol
Specific target organ toxicity - single exposure (Category 1), H370 – Methanol

2.2 GHS Label elements, including precautionary statements

Pictogram(s): 

Signal Word: Danger

Hazard Statement(s):

H225 Highly flammable liquid and vapor
H226 Flammable liquid and vapor
H319 Causes serious eye irritation
H301 + H311 + H331 Toxic if swallowed, in contact with skin, or if inhaled
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H370 Causes damage to organs

Precautionary Statement(s):

P210 Keep away from heat / sparks / open flames / hot surfaces — no smoking

- P233 Keep container tightly closed
- P260 Do not breathe dust / fume / gas / mist / vapors / spray
- P264 Wash skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P280 Wear protective gloves, protective clothing, eye protection, face protection
- P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304 + P340 + P311 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 + P313 If eye irritation persists: Get medical advice/ attention
- P363 Wash contaminated clothing before reuse
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides (2-Butanol)

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Component	CAS #	Hazard Classifications	Concentration
Methanol (CH ₃ OH)	67-56-1	Flam. Liq. (Cat.2) – H225; Acute Tox. (Cat.3) - H301 + H311 + H331; STOT SE (Cat.1) – H370	2 – 5 %
2-Butanol (C ₄ H ₁₀ O)	78-92-2	Flam. Liq. (Cat.3) – H226; Eye Irrit. (Cat.2A) – H319; STOT SE (Cat.3) – H335, H336	3 – 4 %
Ethanol (C ₂ H ₆ O)	64-17-5	Flam. Liq. (Cat.2) – H225; Eye Irrit. (Cat.2A) – H319	4 – 10 %
Proprietary Resin	n/a	No known hazards	15 – 20 %
Water (H ₂ O)	7732-18-5	No known hazards	60 – 75 %

Hazard Classification Statements in this section have been abbreviated; refer to Section 2 for full text.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

After Inhalation:

If breathed in, remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/ physician if you feel unwell.

After Skin Contact:

Immediately remove all contaminated clothing. Rinse skin with copious amounts of water / shower. Seek medical attention if irritation develops.

After Eye Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice / attention.

After Ingesting:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Call a POISON CENTER or doctor/physician IF you feel unwell.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

No Data Available

SECTION 5: FIREFIGHTING MEASURES

5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide

5.2 Special Hazards Arising from the Substance or Mixture

Carbon oxides

5.3 Advice for Firefighters

Wear full protective clothing and self-contained breathing apparatus approved for firefighting

5.4 Other Information

Use water spray to cool unopened containers

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid breathing vapors, mist, or gas. Keep unprotected persons away. Eliminate all sources of ignition. Ventilate area and wash spill site after material pickup is complete.

6.2 Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and Materials for Containment and Cleaning Up

Dike area to prevent spreading. Absorb on vermiculite, sand or other inert absorbing material. Dispose of as a chemical waste in accordance with current local, state and federal regulations.

6.4 Reference to Other Sections

For safe handling, see Section 7; for personal protection, see Section 8; for disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Appropriate personal protective equipment should be used at all times. Provide good ventilation or extraction. Avoid contact with eyes, skin, and clothing. Avoid inhalation of vapor or mist. Keep away from heat, sparks, flames and other sources of ignition.

7.2 Conditions for Safe Storage (including any incompatibilities)

For best coating performance, keep container tightly sealed and store in a dry and cool area. Avoid storage above 40°C / 104°F and contamination with incompatible materials. Keep away from heat, sparks, flames and other sources of ignition.

7.3 Specific End Uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Components with workplace control parameters:

Component Name	CAS #	Concentration	Value	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Methanol	67-56-1	2 – 5 %	TWA	200 ppm 262 mg/m ³	200 ppm 260 mg/m ³	200 ppm 260 mg/m ³
2-Butanol	78-92-2	3 – 4 %	TWA	100 ppm 303 mg/m ³	150 ppm 450 mg/m ³	100 ppm 305 mg/m ³

Component Name	CAS #	Concentration	Value	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Ethanol	64-17-5	4 – 10 %	TWA	1,000 ppm	1,000 ppm 1,900 mg/m ³	1,000 ppm 1,900 mg/m ³

Notes: PEL – Permissible Exposure Limit; TLV – Threshold Limit Values; REL – Recommended Exposure Limits

8.2 Exposure Controls

Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Keep away from food and beverages. Provide good ventilation or extraction. Safety shower and eye bath recommended. Wash hands before breaks & after workday.

Personal Protective Equipment

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate, use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye / Face Protection:

Face shield and/or safety glasses should be worn. Use eye protection equipment that is tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand Protection:

Handle with chemical resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands after use.

Skin and Body Protection:

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Control of Environmental Exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

Form:	Liquid, clear
Color:	Colorless
Odor:	Alcohol-like
pH:	No Data Available
Melting / Freezing Point:	No Data Available
Initial Boiling Point / Range:	No Data Available
Flashpoint (closed cup):	No Data Available
Evaporation Rate:	No Data Available
Flammability (solid, gas):	No Data Available
Upper Explosion Limit:	No Data Available
Lower Explosion Limit:	No Data Available
Vapor Pressure (20.0 °C):	No Data Available
Vapor Density:	No Data Available
Relative Density:	No Data Available
Water Solubility:	Soluble
Auto-ignition Temperature:	No Data Available
Decomposition Temperature:	No Data Available

Viscosity: No Data Available

Explosive Properties: No Data Available

9.2 Other Information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No Data Available

10.2 Chemical Stability

Stable under recommended storage conditions (see Section 7.2)

10.3 Possibility of Hazardous Reactions

No Data Available

10.4 Conditions to Avoid

Heat, flames and sparks

10.5 Incompatible Materials

Acid chlorides, acid anhydrides, oxidizing agents, alkali metals, reducing agents, acids, halogens, peroxides

10.6 Hazardous Decomposition Products

Other decomposition products: no data available; Under fire conditions: see Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

The chemical, physical, and toxicological properties of this product have not been thoroughly investigated. Toxicological information for the components has been provided where available.

Acute Toxicity

Oral LD50: No Data Available

Inhalation LC50: No Data Available

Dermal LD50: No Data Available

Other Information: No Data Available

Skin Corrosion/Irritation

No Data Available

Serious Eye Damage/Eye Irritation

May cause moderate eye irritation [ethanol]

Respiratory or Skin Sensitization

No Data Available

Germ Cell Mutagenicity

No Data Available

Carcinogenicity

IARC: Group 1: Carcinogenic to humans (ethanol in alcoholic beverages)

ACGIH: Group A3: Confirmed animal carcinogen with unknown relevance to humans (ethanol only)

NTP: No component of this product (present at levels greater than or equal to 0.1%) is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product (present at levels greater than or equal to 0.1%) is identified as a carcinogen or potential carcinogen by OSHA.

Ethanol: Carcinogenicity - Mouse – Oral, Tumorigenic; Equivocal tumorigenic agent by RTECS criteria; Liver, Tumors, Blood, Lymphomas (including Hodgkin's disease).

Reproductive Toxicity

Ethanol: Reproductive toxicity - Human - female – Oral; Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence.

2-Butanol: Reproductive toxicity – Rat – Inhalation; Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Embryo or Fetus: Fetal death. Specific Developmental Abnormalities: Musculoskeletal system. Developmental Toxicity - Rat – Inhalation; Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Methanol: Damage to fetus not classifiable; Fertility classification not possible from current data.

Teratogenicity

No Data Available

Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System)

Ethanol: No data available

2-Butanol: Respiratory system, central nervous system

Methanol: Causes damage to organs (liver, kidney)

Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System)

No Data Available

Aspiration Hazard

2-Butanol: Aspiration into the lungs may result in chemical pneumonitis

Additional Information

Ethanol (RTECS: KQ6300000)

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Symptoms of Short Term Exposure: The substance irritates the eyes. Inhalation of high concentration of vapor may cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system.

Symptoms of Long Term Exposure: The liquid defats the skin. The substance may have effects on the upper respiratory tract and central nervous system, resulting in irritation, headache, fatigue and lack of concentration.

2-Butanol (RTECS: EO1750000)

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Symptoms of Short Term Exposure: The substance is irritating to the eyes. Exposure far above the OEL could cause lowering of consciousness. If this liquid is swallowed, aspiration into the lungs may result in chemical pneumonitis.

Symptoms of Long Term Exposure: The liquid defats the skin.

Methanol (RTECS: PC1400000)

Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact

Symptoms of Short Term Exposure: The substance is irritating to the eyes, the skin and the respiratory tract. The substance may cause effects on the central nervous system, resulting in loss of consciousness.

Symptoms of Long Term Exposure: Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system, resulting in persistent or recurring headaches and impaired vision.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

The toxicological properties of this material have not been fully investigated.

12.2 Persistence and Degradability

No Data Available

12.3 Bioaccumulative Potential

No Data Available

12.4 Mobility in Soil

No Data Available

12.5 Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not conducted

12.6 Other Adverse Effects

No Data Available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 Department of Transportation (DOT - US)

UN number: 1866

Class: 3

Packing Group: III

Proper Shipping Name: Resin Solution, flammable

14.2 International Maritime Dangerous Goods (IMDG)

UN number: 1866

Class: 3

Packing Group: III

Proper Shipping Name: Resin Solution, flammable

14.3 International Air Transport Association (IATA)

UN number: 1866

Class: 3

Packing Group: III

Proper Shipping Name: Resin Solution, flammable

14.4 Additional Transport Information

HS Classification #: 3208.90

Schedule B #: 3208.90.0000

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

<u>Component Name</u>	<u>CAS #</u>
Methanol	67-56-1
2-Butanol	78-92-2

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

The following product components are cited on the lists below:

<u>Component</u>	<u>CAS #</u>	<u>List Citations</u>
Methanol	67-56-1	PA, MA, NJ Right to Know
2-Butanol	78-92-2	PA, MA, NJ Right to Know
Ethanol	64-17-5	PA, MA, NJ Right to Know

CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

<u>Component</u>	<u>CAS #</u>
Methanol	67-56-1

15.2 Chemical Safety Assessment

A chemical safety assessment was not carried out for this product

SECTION 16: OTHER INFORMATION

REACH Number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

HMIS Classification

Health Hazard: 2
Flammability Hazard: 3
Physical Hazard: 0

NFPA Rating

Health Hazard: 2
Flammability Hazard: 3
Reactivity Hazard: 0

Further Information

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

- END OF SDS -