

#### **SECTION 1: PRODUCT & COMPANY IDENTIFICATION**

#### 1.1 Product Identifiers

NANOMYTE® UVP-100 (Part B) Product Name:

CAS Number: A CAS number has not been assigned to this product.

## 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: Laboratory chemicals, synthesis of substances

## 1.3 Details of the Supplier of the Safety Data Sheet

Company: **NEI Corporation** 

400 Apgar Drive, Unit E | Somerset, NJ 08873 - USA Address:

+1 (732) 868-3141 Phone: Fax: +1 (732) 868-3143

Email: productinfo@neicorporation.com

# 1.4 Emergency Telephone Numbers

Manufacturer: +1 (732) 868-3142 (9am to 6pm EST / UTC -0500)

U.S. Poison Control Center: +1 (800) 222-1222

ChemTel (North America): +1 (800) 255-3924 (during transportation only)

ChemTel (International): +1 (813) 248-0585 (during transportation only – collect calls accepted)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the Substance or Mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious eye damage (Category 1), H318 Acute aguatic toxicity (Category 3), H402

## 2.2 GHS Label elements, including precautionary statements

Pictogram(s):



Signal Word: Danger

#### **Hazard Statement(s):**

H318 Causes serious eye damage

H402 Harmful to aquatic life

## **Precautionary Statement(s):**

P273 Avoid release to the environment

Wear protective gloves, protective clothing, eye protection, face protection

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present + P338 + P310

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Dispose of contents in a safe manner in accordance to local / national regulations.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No additional information available

# **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Component	CAS #	Hazard Classifications	Concentration
Trade Secret	Proprietary	Eye Dam. (Cat. 1) – H318; Aquatic Acute (Cat. 3) – H402	≤ 100%

Hazard Classification Statements in this section have been abbreviated; refer to Section 2 for full text.



#### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of First Aid Measures

#### **General Advice:**

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### After Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### After Skin Contact:

Wash off with soap and plenty of water. If skin irritation occurs, seek medical attention.

## **After Eye Contact:**

Immediately flush eyes copiously with water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison center or seek medical attention.

## **After Ingestion:**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or Section 11.

# 4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide; do NOT use straight streams.

#### 5.2 Special Hazards Arising from the Substance or Mixture

Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame. Can react exothermically with amines.

## 5.3 Advice for Firefighters

Wear full protective clothing and self-contained breathing apparatus approved for firefighting. Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.

## 5.4 Other Information

No additional information available

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid breathing vapors, mist, or gas. Keep unprotected persons away.

## **6.2 Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and Materials for Containment and Cleaning Up

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# **6.4 Reference to Other Sections**

For safe handling, see Section 7; for personal protection, see Section 8; for disposal, see Section 13.



#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for Safe Handling

Appropriate personal protective equipment should be used at all times. Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors.

# 7.2 Conditions for Safe Storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from heat. Avoid exposure to amines, moisture, and water.

## 7.3 Specific End Uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1 Control Parameters

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

# 8.2 Exposure Controls

# **Appropriate Engineering Controls**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food and beverages. Provide good ventilation or extraction. Safety shower and eye bath recommended. Wash hands before breaks & after workday.

# **Personal Protective Equipment**

# Eye / Face Protection:

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin Protection:**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection:**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory Protection:**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of Environmental Exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on Basic Physical and Chemical Properties

Form: Liquid Color: Straw

Odor: No Data Available pH: No Data Available

Freezing point/range: < -70 °C

Initial Boiling point/range: 120 °C @ 2 mm Hg

Flashpoint: 135 °C (275 °F)

Auto-ignition Temperature: 231 °C (448 °F)

NANOMYTE® UVP-100 (Part B)



Evaporation Rate: No Data Available
Lower Explosion Limit: No Data Available
Upper Explosion Limit: No Data Available
Vapor Pressure: 2 mm Hg @ 120 °C

Relative Vapor Density: 8.1 @ 20 °C (68 °F)

Relative Density: 1.07

Water Solubility: Reacts with water
Auto-ignition temperature: No Data Available
Decomposition Temperature: No Data Available

Viscosity: 3.2 cSt

Explosive Properties: No Data Available
Oxidizing Properties: No Data Available

#### 9.2 Other Information

No additional information available

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Can react exothermically with amines.

## 10.2 Chemical Stability

Stable under recommended storage conditions (see Section 7.2)

## 10.3 Possibility of Hazardous Reactions

Reacts with water and moisture in air, liberating methanol.

## 10.4 Conditions to Avoid

Heat, open flame, sparks

# 10.5 Incompatible Materials

Amines, moisture, water

## 10.6 Hazardous Decomposition Products

Methanol. Organic acid vapors. Under Fire Conditions: see Section 5

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1 Information on Toxicological Effects

# **Acute Toxicity**

Oral LD50: 8,400 mg/kg (rat)
Inhalation LC50: > 5.3 mg/l/4h (rat)
Dermal LD50: 4,248 mg/kg (rabbit)

## Skin corrosion/irritation

Skin Irritation - rabbit: 500 mg open: mild irritant effect

# Serious eye damage/eye irritation

Eyes – Rabbit; Result: Causes serious eye damage. Irreversible effects on the eye.

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA.

NANOMYTE® UVP-100 (Part B)



## Reproductive toxicity

No data available

# **Teratogenicity**

No data available

## Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

## **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: VV4025000

On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may affect the central nervous system resulting in persistent or recurring headaches or impaired vision.

#### **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1 Toxicity

Toxicity to Fish: LC50 - Cyprinus carpio (Carp) - 55 mg/l - 96h

Toxicity to daphnia and EC50 – Daphnia magna (Water flea) – 324 mg/l Simocephalus vetulus

other aquatic invertebrates:

Toxicity to algae: EC50 - 119 mg/l Anabaena flos-aguae

## 12.2 Persistence and Degradability

No Data Available

## 12.3 Bioaccumulative Potential

-2.6 (Log Pow)

## 12.4 Mobility in Soil

No Data Available

#### 12.5 Results of PBT and vPvB Assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other Adverse Effects

Harmful to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste Treatment Methods

#### **Product**

Contact a licensed professional waste disposal service to dispose of this material. May be incinerated. Dispose in a safe manner in accordance with local/national regulations.

#### **Contaminated Packaging**

Dispose of as unused product.

# **SECTION 14: TRANSPORT INFORMATION**

# 14.1 Department of Transportation (DOT - US)

Not regulated for transport

# 14.2 International Maritime Dangerous Goods (IMDG)

Not regulated for transport

**Issued:** 29-June-2021 (v1.0) Page **5** of **6** 



# 14.3 International Air Transport Association (IATA)

Not regulated for transport

# 14.4 Additional Transport Information

**HS Classification #:** 3208.90 **Schedule B #:** 3208.90.0000

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard

#### **CALIFORNIA PROPOSITION 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 15.2 Chemical Safety Assessment

A chemical safety assessment was not carried out for this product

#### **SECTION 16: OTHER INFORMATION**

#### **REACH Number**

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

## HMIS Classification NFPA Rating

Health Hazard: 3 Health Hazard: 3 Flammability Hazard: 1 Flammability Hazard: 1 Physical Hazard: 1 Reactivity Hazard: 1

#### **Further Information**

NEI has attempted to provide current and accurate information to the best of its knowledge. NEI makes no representations regarding the accuracy or completeness of the information and assumes no liability for any loss, damage, injury of any kind which may result from or arise out of the use of or reliance on the information by any person. Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

- END OF SDS -